


MEDIUM VOLTAGE XLPE-ALUMINIUM CABLES


11kV MV Aluminium 3 Core Type A SWA



General Data:

Properties:	
Aluminium	3 Core
Specification	SANS 1339
Voltage Rating	6350 / 11000V
Type	Type A

Cable Description:



Typical Applications:	
Underground	Underground Reticulation Main Distribution System Sub-stationed Mining

Options:	
Standard	XLPE Red Stripe Blue Stripe




Technical Information and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

MEDIUM VOLTAGE XLPE-ALUMINIUM CABLES

11kV MV Aluminium 3 Core Type A SWA



Product Information:

Cable Size (mm ²)	Approximate Diameter (mm)	Current Rating (trefoil) (A)		Approximate Cable Mass (kg)	
		Ground	Air	Cable	Gross (500m)
25	49	107	116	3.9	1400
35	52	127	140	4.3	1550
50	55	149	165	4.7	1700
70	58	182	205	5.3	1900
95	63	216	248	6	2400
120	66	245	283	6.6	2550
150	71	274	320	8	3050
185	75	309	365	8.9	3350
240	81	360	437	10.1	3700
300	87	399	484	11.4	4400



Technical Information

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

