


## LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE 1kV FR PVC Copper 27 Core Armoured



### Cable Description:



### General Data:

#### Properties:

Copper	27 Core
Specification	SANS 1507
Voltage Rating	600 / 1000V
PVC Insulated	

#### Typical

Applications:	
Power Control	Circuits Robots

#### Options:

Standard	PVC Red Stripe Blue Stripe
----------	----------------------------------



Technical Information and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400


Email: [aep.enquiries@actom.co.za](mailto:aep.enquiries@actom.co.za)

Tel: +27 11 878 3050

Website: [www.actomep.co.za](http://www.actomep.co.za)

## LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE

### 1kV FR PVC Copper 27 Core Armoured



#### Product Information:

Cable Size (mm <sup>2</sup> )	Approximate Diameter (mm)	Volt Drop (Single Phase) (mV/A/m)	Approximate Cable Mass	
			Cable	Gross (500m)
1	27	43.31	1.5	750
1.5	29	28.96	2	1000
2.5	32	17.73	2.5	1250
4	40	11.03	3.3	1650



Technical Information

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

## Complete your Project:

Please select the items you require and we will be in touch

### Cables and Wires:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Lighting:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Transformers (Distribution):

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Accessories:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Specific Information:

## For more Information on this Product Please Send us the Following

### Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

### Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

## Thank You

### For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

