


LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE

1kV FR PVC Copper 7 Core Armoured ECC



Cable Description:



General Data:

Properties:

Copper 7 Core

Specification SANS 1507

Voltage Rating 600 / 1000V

PVC Insulated

ECC Earth Continuity Conductor

Typical

Applications:

Power Control Circuits

Robots

Options:

Standard PVC

Red Stripe

Blue Stripe



Technical Information and Photographs from CBI electric



LOW VOLTAGE PVC CONTROL (MULTICORE) CABLE

1kV FR PVC Copper 7 Core Armoured ECC





Product Information:

	Cable Size	Approximate Diameter	Volt Drop (Single Phase)	Approxim	ate Cable Mass
	(mm²)	(mm)	(mV/A/m)	(kg)	
				Cable	Gross (500m)
1		16	36.2	0.53	265
1	1.5	17	24.2	0.6	300
2	2.5	18	14.82	0.7	350
4	ļ.	21	9.22	0.94	470
6	8	23.5	6.16	1.25	625
1	10	26	3.66	1.6	800



Technical Information and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za Tel: +27 11 878 3050 Website: www.actomep.co.za



Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires: Lighting:

Indoor
Outdoor
General
Other
Other

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Transformers (Distribution):

Indoor Indoor
Outdoor Outdoor
General General
Other Other

Accessories:

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Specific Information:

Email: aep.enquiries@actom.co.za Tel: +27 11 878 3050 Website: www.actomep.co.za



For more Information on this Product Please Send us the Folowing

Product Information:	
Product Name:	
Quantity:	
Project Name:	
Date the Product is required:	
Your Contact Information:	
Name and Surname:	
Company:	
Email:	
Phone Number:	

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information



Scan the QR Code to visit our Website:

Email: aep.enquiries@actom.co.za Tel: +27 11 878 3050 Website: www.actomep.co.za