


OVERHEAD LINES-LV ABC CABLES

1kV LV ABC 3 Core Plus Insulated Neutral



Cable Description:

Phase Core



General Data:

Properties:

Aluminium 3 Core + Neutral

Specification SANS 1418

Voltage Rating 600 / 1000V

ABC Aerial Bundle Conductor

Typical

Applications:

Overhead Lines Used for aerial reticulation

Options:

Standard XLPE

Self Support



Technical Information and Photographs from CBI electric



OVERHEAD LINES-LV ABC CABLES

1kV LV ABC 3 Core Plus Insulated Neutral





Product Information:

Cable Size	Approximate Diameter	Current Rating	Neutral Size	Volt Drop (Three Phase)		nate Cable ass
(mm²)	(mm)	(A)	(mm²)	(mV/A/m)	(1	(g)
		In Air			Cable	Gross (500m)
25	22.1	111	54.6	2.67	0.39	195
35	24.9	138	54.6	1.94	0.53	265
50	27.8	168	54.6	1.43	0.68	340
70	32.8	213	54.6	0.99	0.96	480
95	37.1	258	54.6	0.73	1.27	635
120	41.7	300	70	0.58	1.57	785
150	43.9	339	70	0.48	1.87	935



Technical Information and Photographs from CBI electric

Email: aep.enquiries@actom.co.za Tel: +27 11 878 3050 Website: www.actomep.co.za



Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires: Lighting:

Indoor
Outdoor
General
Other
Other

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Transformers (Distribution):

Indoor Indoor
Outdoor Outdoor
General General
Other Other

Accessories:

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Specific Information:

Email: aep.enquiries@actom.co.za Tel: +27 11 878 3050 Website: www.actomep.co.za



For more Information on this Product Please Send us the Folowing

Product Information:	
Product Name:	
Quantity:	
Project Name:	
Date the Product is required:	
Your Contact Information:	
Name and Surname:	
Company:	
Email:	
Phone Number:	

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information



Scan the QR Code to visit our Website: