

RECESSED LUMINAIRES

BETA



Approximate Dimensions:

Width: 592 mm

Length: 1192 mm

General Data:

Construction:

Body Cold Formed Sheet Metal with White Epoxy Powder Paint

Louvre Miro 4 Double Parabolic Clip-in Aluminum Louvre

Lamp Holders Positive Action Rota-lock


Ballast Available with low loss Magnetic or high Efficiency Electronic

IP Rating IP20


Typical

Applications:
Indoor lighting applications
Office's
Schools
Laboratories

Front View:



Side View:



RECESSED LUMINAIRES

BETA



Options:

- .../ECG (Electronic Ballast)
- .../ECG-DIM (Electronic Dimmable Ballast)
- .../ECG-EMG (Electronic Ballast with emergency back-up)
- .../FRM-PERF

Product Information:

Product Code	LampWatt's	H (mm)	L (mm)	W (mm)	(Kg)
BET-214/24	2x 14/24W	100	592	592	3,2
BET-314/24	3x 12/24W	100	592	592	5,2
BET-228/254	2x 28/54W	100	1192	592	5,5

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

