

HALOGEN LAMPS

Halopar 38 (Parabolic Reflector PAR38, with Screw Base)



General Data:

Product Benefits:

- Reflector** Whole glass reflector for brilliant lighting effects
- Approved for Use** In open luminaires (To IEC 60598-1)
- Warm-up Time** Instant 100 % light
- Contains** No mercury
- Filter** UV filter
- Suitable For** Outdoor applications in approved luminaires

Product Features:

- Dimmable:** 100 %
- Perfect Colour Rendering:** (R_a : 100)
- Average Life:** 2 000h
- Different Cap Sizes:** BC, ES, SES

Typical Applications:

- Lighting** *General illumination
- *Object lighting
- *Accent lighting

Colour Type:

	Sky White	Cool Daylight	Daylight	Cool White	White	Warm White	INTERNA	Special Light Colours		
Code:	880	865	965	954	840	940	835	830	830	827
	8 000 K	6 500 K	5 400K	5 400K	4 000K	4 000K	3 500K	3 000K	3 000K	2 700K



Technical Information and Photographs from OSRAM
Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

HALOGEN LAMPS

Halopar 38 (Parabolic Reflector PAR38, with Screw Base)



HALOPAR 38 50 W 240 V 30° E27,
 HALOPAR 38 75 W 240 V 12° E27,
 HALOPAR 38 75 W 240 V 30° E27,
 HALOPAR 38 100 W 240 V 30° E27

HALOPAR 38 50 W 240 V 30° E27,
 HALOPAR 38 75 W 240 V 12° E27,
 HALOPAR 38 75 W 240 V 30° E27,
 HALOPAR 38 100 W 240 V 30° E27

Product Information:

Product Description	W	V	Length (mm)	Diameter (mm)	Lumen (lm)	CCT (K)	CRI (Ra)	Rated Ave Life (h)	EEC
HALOPAR38 50 W 240 V 30° E27, FL ES FLOOD	50	240	139	123		2700	100	2 000	D
HALOPAR38 75 W 240 V 12° E27, SL ES FLOOD	75	240	139	123		2800	100	2 000	D
HALOPAR38 75 W 240 V 30° E27, FL ES FLOOD	75	240	139	123	580	2800	100	1 000	D
HALOPAR38 100 W 240 V 30° E27, ES SPOT	100	240	134	123		2900	100	1 000	D

FL = Flood Light

SL = Spot Light



Technical Information and Photographs from OSRAM
 Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

