

## WEATHERPROOF LUMINAIRES

### LED Waterproof



#### Approximate Dimensions:

Width (25W):	83 mm
Width (30W):	74 mm
Length (25W):	1263 mm
Length (30W):	1515 mm

#### General Data:

##### Construction:

**Body** Optimal heat management with an anti-UV polycarbonate cover. IK08 anti-shock rating

**Energy** Lasts 5 times longer than fluorescent waterproof

**IP Rating** IP65

##### Benefits:

**Material** Waterproof and dustproof  
Impact resistant  
Prevents cover yellowing



##### Typical Applications:

**Ideal for** Warehouses  
Tunnels  
Parking areas


## WEATHERPROOF LUMINAIRES

### LED Waterproof

#### Dimensional Drawing:



#### Photometric Data:



130°+110°(20W/30W)

#### Specifications:

##### Technical Specifications:

On/Off Cycles	50 000
Colour Consistency (SDCM)	7
Dimable	No
Finishing Colour	Grey
IP	IP65
IK	IK08
Driver Integrated (Yes/No)	Yes
Glow Wire Test	650 °C
Driver Failure Rate	1 °C at 5 000 hrs
Weight (kg/pc)	1.40/1.80/2.20/2.50

##### Electrical Supply:

Frequency (Hz)	50/60 Hz
Voltage (V)	220-240 V
AC/DC	AC

##### Mechanical Properties:

Housing Material	PC
Optical Material	PC

##### Application Conditions:

Operating Temperature	-20 - + 45 °C
Application Temperature	25 °C
Storage Environment	-25 - + 50 °C

## WEATHERPROOF LUMINAIRES

### LED Waterproof



#### Product Information:

Product Code	Luminaire Wattage	Lumens (LM)	Efficacy (lm/W)	CCT (K)	CRI	Lifetime	Weight (kg)
WP20WC4FT	25W	2000	80	4000	>80	50 000	2
WP20WD4FT	25W	2000	80	6500	>80	50 000	2
WP30WC5FT	30W	2500	80	4000	>80	50 000	3
WP30WD5FT	30W	2500	80	6500	>80	50 000	3

## Complete your Project:

Please select the items you require and we will be in touch

### Cables and Wires:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Lighting:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Transformers (Distribution):

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Accessories:

Indoor  
Outdoor  
General  
Other  
Let an ACTOM  
Specialist Contact you

### Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

## For more Information on this Product Please Send us the Following

### Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

### Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

## Thank You

### For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

