

General Data:

ELECTRICAL PRODUCTS

BUILDING WIRES - PERMOPOWER Single Core Flexible Power Cable

| | | | Properties: | | |
|--------------------|--|--------------------|---------------------|------------------------------|--|
| | | | Specification | SABS 1507 | |
| | | | Temperature Range | -10°C to +80°C | |
| | | | Voltage Rating | 1000V | |
| | | | Sheath Colours | Refer to second page table | |
| | | | Packaging | *500m Drums | |
| | | | | *Cut lengths are also | |
| Cable Des | crinti | . | | availalbe on request | |
| Cable Description: | | | | *Marked at one metre | |
| Conductors | High conductivity bunched flexible copper conductors | | | intervals | |
| conductors. | | | | | |
| | | | Typical | | |
| Primary | | Purpose Grade | Applications: | | |
| Insulation: | PVC | | Indoor and Outdoor | Panel and Power | |
| Nitrilo Shooth: | Tightly handed Water and | | | Equipment | |
| Nitrile Sheath. | Tightly bonded Water and | | Ponlacomont | Replacement for large, rigid | |
| | Oil resistant PVC/Rubber | | Replacement | | |
| | | itrile Sheath | Installa Oviskly in | type stranded house wires | |
| Colour Options | Blue | | Installs Quickly in | Ducts, Shafts, Switchboards, | |
| (Please select | Black | | | Trunking, Conduits, | |
| the colour you | Greer | /Yellow | | Transformer Connections, | |
| need): | Red | | | Large Borehole Pumps, etc. | |
| | (Standa | rd Welding Colours | | | |
| | Apply) | | | | |
| | | | | | |



Technical Information and Photographs from Alvern Cables

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



ELECTRICAL PRODUCTS

BUILDING WIRES - PERMOPOWER Single Core Flexible Power Cable

ALVERN CABLES SABS 1507

Product Information:

| Cable Size | Stranding | Nominal | 600 / 1000W | | Approximate |
|------------|-------------|---------|----------------------------|----------|-------------|
| | No x Dia | Dia | Cubicle Wiring Amp Ratings | | Cable Mass |
| (mm²) | | | (V) | | (kg / 100m) |
| | | | 1ph 220V | 3ph 380V | |
| 16 | 120 x 0.41 | 9.5 | 76 | 75 | 21.9 |
| 25 | 160 x 0.41 | 10.7 | 101 | 96 | 30.33 |
| 35 | 252 x 0.41 | 11.8 | 125 | 116 | 41.44 |
| 50 | 366 x 0.41 | 14.4 | 151 | 138 | 59.88 |
| 70 | 516 x 0.41 | 17.1 | 192 | 171 | 83.0 |
| 95 | 456 x 0.501 | 18.6 | 232 | 205 | 107.06 |
| 120 | 582 x 0.501 | 21.3 | 269 | 234 | 136.92 |
| 150 | 762 x 0.501 | 24.7 | 300 | 263 | 179.32 |
| 185 | 924 x 0.501 | 26.8 | 341 | 298 | 220.1 |



Technical Information and Photographs from Alvern Cables

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



ELECTRICAL PRODUCTS

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor Outdoor General Other Let an ACTOM Specialist Contact you

Lighting:

Indoor Outdoor General Other Let an ACTOM Specialist Contact you

Transformers (Distribution):

Indoor Outdoor General Other Let an ACTOM Specialist Contact you

Accessories:

Indoor Outdoor General Other Let an ACTOM Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



ELECTRICAL PRODUCTS

For more Information on this Product Please Send us the Folowing

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information



Scan the QR Code to visit our Website:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Tel: +27 11 878 3050