

T8 LED TUBES AND T8 RETRO-FIT KITS



General Data:

Construction:

Body Advanced coating technology,

flicker free drive and LED

dummy starter

Energy Energy efficient with a long

lifespan

60% energy savings compared

to conventional T8 tubes

IP Rating IP20

Benefits:

Light Even, balanced light

Flicker free ambient light

Maintenance Lasts 2 times longer than

conventional T8 tubes with an

electromagnetic system

Typical

Applications:

Ideal for Hotels

Offices

Parking areas

Shopping Malls




T8 LED TUBES AND T8 RETRO-FIT KITS


Dimensional Drawing:

<u>8</u>

A (9W): Φ26 mm A (18W): Φ26 mm B (9W): 604 mm B (18W): 1213 mm

Light Distribution:





Specifications:

Technical Specifications:

IP IP20

Electrical Supply:

Frequency (Hz) 50/60 Hz

Voltage (V) 220-240 V

AC/DC AC

Mechanical Properties:

Housing Material Die-cast Aluminium

Optical Material Toughen Glass

Finishing Colour White

Application Conditions:

Operating Temperature -10 - + 45 °C

Application Temperature 25°C

Storage Environment -25 - + 50 °C

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



T8 LED TUBES AND T8 RETRO-FIT KITS



Product Information:

| Product Code | Luminaire Wattage | Lumens (LM) | Efficacy (Im/W) | CCT (K) | CRI | Lifetime | Weight (kg) |
|--------------|----------------------|----------------|--------------------|---------|-----|----------|----------------|
| T8Tube2FTW E | 9W | 800 | 89 | 3000 | 80 | 25 000 | 0.179 |
| T8Tube2FTC E | 9W | 850 | 94 | 4000 | 80 | 25 000 | 0.179 |
| T8Tube2FTD E | 9W | 850 | 94 | 6500 | 80 | 25 000 | 0.179 |
| T8Tube4FTW E | 18W | 1600 | 89 | 3000 | 80 | 25 000 | 0.293 |
| T8Tube4FTC E | 18W | 1700 | 94 | 4000 | 80 | 25 000 | 0.293 |
| T8Tube4FTD E | 18W | 1700 | 94 | 6500 | 80 | 25 000 | 0.293 |



Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires: Lighting:

Indoor
Outdoor
General
Other
Other

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Transformers (Distribution):

Indoor Indoor
Outdoor Outdoor
General General
Other Other

Accessories:

Let an ACTOM Let an ACTOM

Specialist Contact you Specialist Contact you

Specific Information:



For more Information on this Product Please Send us the Folowing

| Product Information: | |
|-------------------------------|--|
| Product Name: | |
| Quantity: | |
| Project Name: | |
| Date the Product is required: | |
| Your Contact Information: | |
| Name and Surname: | |
| Company: | |
| Email: | |
| Phone Number: | |

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information



Scan the QR Code to visit our Website: