

TUBULAR FLUORESCENT LAMPS

Basic T8, Tubular, G13 Base, Cool White (2 Pin)

General Data:

Product Benefits:

- Lamp** Proven lamp technology
- Cost Effective** Good economy (thanks to high efficiency)
- Available in** Different light colours (2 700 - 8 000 K) for various applications

Typical Applications:

- Lighting** *Public buildings
- *Office lighting
- *Industry
- *Shops
- *Supermarkets and department stores
- *Street lighting
- *Outdoor applications only in suitable luminaires



Product Features:

- Very Good Lumen** 90% Throughout the Service
- Maintenance:** Lifetime of the Lamp
- Good Colour Rendering:** (R_a : 60...69)

Colour Type:

| | Sky White | Cool Daylight | Daylight | Cool White | White | Warm White | INTERNA | Special Light Colours | | |
|-------|-----------|---------------|----------|------------|--------|------------|---------|-----------------------|--------|--------|
| Code: | 880 | 865 | 965 | 954 | 840 | 940 | 835 | 830 | 830 | 827 |
| | 8 000 K | 6 500 K | 5 400K | 5 400K | 4 000K | 4 000K | 3 500K | 3 000K | 3 000K | 2 700K |



Technical Information and Photographs from OSRAM
Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400



Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

TUBULAR FLUORESCENT LAMPS

Basic T8, Tubular, G13 Base, Cool White (2 Pin)



L 18 W/640,
L 30 W/640,
L 36 W/640,
L 58 W/640

Product Information:

| Product Description | W | V | Length (mm) | Diameter (mm) | Lumen (lm) | CCT (K) | CRI (Ra) | Rated Ave Life (h) | EEC |
|-----------------------------|----|-----|----------------|------------------|---------------|------------|-------------|--------------------------|-----|
| L 18 W/640 (code:55549G) | 18 | 240 | 590 | 26 | 1 200 | 4 000 | 60...69 | 9 000 | B |
| L 30 W/640 (code:5557) | 30 | 240 | 895 | 26 | 2 100 | 4 000 | 60...69 | 9 000 | B |
| L 36 W/640 (code:55567G) | 36 | 240 | 1 200 | 26 | 2 850 | 4 000 | 60...69 | 9 000 | B |
| L 58 W/640 (code:55574G) | 58 | 240 | 1 500 | 26 | 4 600 | 4 000 | 60...69 | 9 000 | B |



Technical Information and Photographs from OSRAM
Selected Information has been Edited by ACTOM Electrical Products

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: aep.enquiries@actom.co.za

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

