

OVERHEAD LINES ACSR CABLE

Rabbit



Product Information:

Cable Data		Rabbit
Equival. Copper Area	mm ²	32.26
Stranding and Wire Diameter	mm	6 / 1 / 3.35
Diameter Over Steel	mm	3.35
Overall Diameter (Std.)	mm	10.05
Aluminium Area	mm ²	52.88
Steel Area	mm ²	8.81
Total Area	mm ²	61.70
Approximate Cable Mass	Kg / Km	
Aluminum		145
Steel		69.40
Total		214
Ultimate Tensile Strength	Newton	18500
Co-Efficient of Linear Expansion	/ C x 10 ⁶	19.31
Initial Modulus of Elasticity	MPa	49500
Final Modulus of Elasticity	Mpa	80400
DC Resistance at 20°C	Ω / km	0.5426
Current Rating	A	240



Technical Information from Alcon Marepha and Photographs from CBI electric

Address: 4 Branch Road, Germiston 1401, P.O. Box 678, Germiston 1400

Email: epsales.jhb@actom.com

Tel: +27 11 878 3050

Website: www.actomep.co.za

Complete your Project:

Please select the items you require and we will be in touch

Cables and Wires:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Lighting:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Transformers (Distribution):

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Accessories:

Indoor
Outdoor
General
Other
Let an ACTOM
Specialist Contact you

Specific Information:

For more Information on this Product Please Send us the Following

Product Information:

Product Name:

Quantity:

Project Name:

Date the Product is required:

Your Contact Information:

Name and Surname:

Company:

Email:

Phone Number:

Province:

Thank You

For having a Look at this Product

Please send this PDF back to us with all your Information

Scan the QR Code to visit our Website:

